



## **Nevins Phone Booth Prices**

All prices are LIST

## **Terms : Conditions : Warranty**


Please refer to <https://nevins.co/Resources/TermsAndConditions>

GENERAL INFORMATION	
	Terms   Conditions   Warranty 2
	Freight Policy 4
MATERIALS	5
DIMENSIONS	5
FEATURES	6
FINISHES	7
PRICING   HOW TO SPECIFY	8-9
PRICE GUIDE REVISION SUMMARY	10-11

### Freight

Nevins Phone Booth orders that include of quantity 3 or less are shipped at the rate listed in the zones defined below. Phone Booth orders of quantity 4 or more are eligible for a volume discount; please contact Nevins with the booth quantity and destination zip code.

For freight fees to states outside the continental United States, please contact Nevins Customer Service.



Created with mapchart.net®

## Exterior Materials

### Side and Upper Panels

16 gauge metal side and upper panels; powder coat finish.

### Front/Rear Frame

Front and rear wall frames are laminate with an exposed, light grey finish, Baltic birch reveal.

### Door & Back Wall

3/8" Laminated, Tempered Glass

## Interior Materials

### Infrastructure

11-Ply Baltic Birch Plywood. All board components meet the EPA Formaldehyde Emission Standard for Composite Wood Products.

### Walls & Ceiling Panels

Crosspoint™ Sound Absorbing Fabric on plywood.

### Carpet

Shaw Contract® Shade Collection Gradient; Commercial Grade, Broadloom Carpet.

### Shelf

Laminate Shelf includes a power/USB grommet and sub-surface Qi charging device.

### Adjustable Height Stool

Freestanding Stool; PU Leather Seat with Chrome Column



## Dimensions

### Exterior

42.125"W x 42"D x 88.03"H

### Interior

34.51"W x 37.99"D x 80.07"H; 9.1 Sq.Ft.

### Door

.375" thick x 35.375"W x 80.88"H

### Door Handle

3/4" dia x 8"L x 1.5"D dual sided  
Floor to bottom of handle 40.25" (from outside of booth)

### Door Threshold

20"W x 1.91"D x .91"H (from inside booth)  
4.75"H x 2.75"D (step up from outside of booth)

### Shelf

27"/20"L x 11"D x 5"H  
Floor to bottom/top of Shelf: 31"/36"



### Seat

Seat 15"W x 13"D x 3"H  
Base: 15" dia.  
Foot Rest: 11.4"W  
Height Range: 22.4" to 30.3"H

### Capacity

1 Person

### Unit Weight

750 lbs.

### Shipping Unit Size

96"L x 43.5" x 50.625"H

### Shipping Unit Weight

1,186 lbs.

**1 LED Lighting**

Recessed LED puck light is mounted in the ceiling, positioned over the shelf and is activated by an integrated motion sensor.  
Lumen: 140  
Temperature: 4000K

**2 Wall & Ceiling Panels**

Crosspoint™ Sound Absorbing Fabric  
NRC 0.20  
Made of recycled polyester blend fiber for its inherent stain resistance, durability, easy maintenance and sustainability.

**3 Door**

Door orientation is left handed, is constructed of 3/8" sound reducing laminated tempered glass, has a polished edge with an acoustic seal and magnetic latch. The strike plate, hinges and door handles are brushed nickel finish.

**4 Optional Glass Tint Available**

**Switch Activated Privacy Tint**

Our switch activated glass tint allows the user to easily change the booth glass from clear to frosted (opaque) with the click of a button. Windows are opaque when powered off and transparent when powered on.

**Permanent Privacy Tint**

For added privacy, our factory applied privacy film is available in varying degrees of privacy. These films provide a beautiful decorative effect while reducing visibility through the glass.

**5 Height Adjustable Stool**

A freestanding, adjustable height stool is standard; floor mounted stools are also available at no additional fee.

**6 Ventilation System**

Dual, silent running ventilation fans along with the side air outlet vent optimize the airflow and maintain a comfortable climate inside the booth. The ventilation system is activated by an integrated motion sensor.  
Total Airflow: 104 CFM  
Total Noise: 19 dBA  
Quality Approvals: UL, CE, TUV, RoHS



**7 Leveling Feet and Seismic Anchors**

Phone Booths include nickel plated, white nylon based levelers to protect flooring and provide adjustment for uneven floors. For seismic applications, brackets and anchors are also included.

**8 Technology Equipped Worksurface**

Nevins Phone Booths include a fixed, wall mounted, laminate worksurface equipped with both a grommet mount power/USB module and a Qi wireless charger embedded beneath the surface.

**Power/USB Module**

3" dia., flush-to-surface grommet.  
(2) 15A, 120V tamper & spill resistant receptacles  
(2) 2.1A (10.5W), 5VDC, USB charging ports  
ETL Listed for US and Canada

**Qi Wireless Charger**

Our Qi wireless device charger is concealed beneath the work surface and charges Qi compatible devices or devices equipped with additional Qi-certified charging equipment, e.g. a charging sleeve. The charging spot includes a decal to indicate that wireless charging is available.  
12 Vdc, max output 5W

**9 Power Cord**

6 foot power cord has a 3-pin plug and connects into a standard, grounded, duplex outlet.  
120 Volts

**10 Carpet**

Shaw Contract® Shade Collection, Gradient, commercial grade, anti-static, stain resistant, broadloom carpet.  
Fiber: 100% Solution Dyed Nylon; Eco Solution Q® Nylon  
SSP® Shaw Soil Protection  
CRI greenlabel plus: USA (GLP8472)  
ADA Compliance: This product meets the guidelines as set forth in the Americans with Disabilities Act for minimum static coefficient of friction.



**Made in the U.S.A.**

Designed, engineered and manufactured in North Carolina.



**Warranty**

A three year limited warranty covers all structural elements of the booth and is subject to normal conditions of use and care.



**Installation**

The phone booth is free-standing and installs on top of any existing floor. The average assembly time is approximately 1.5 hours.

**Exterior Finishes**

Front and back wall frames are laminate with an exposed, light grey finish, Baltic birch reveal. Side and upper panels are powder coat. White finish is standard; Blue, Black, Red, Green or Yellow finishes are available, refer to "Build-Your-Own Phone Booth" section on pages 8-9.



White  
(Standard)

Blue

Black

Red

Green

Yellow

**Interior Finishes**

**Shelf Finishes**

Standard shelf finish is white laminate; Blue, Black, Red, Green or Yellow finishes are available, refer to "Build-Your-Own Phone Booth" section on pages 8-9.



White  
(Standard)

Blue

Black


Red

Green

Yellow

**Wall Fabric**

Wall and ceiling panels are covered with Crosspoint™ Sound Absorbing Fabric. Standard fabric color is Flint; Eclipse, Pier Point or Pelican are available, refer to "Build-Your-Own Phone Booth" section on pages 8-9.



Flint  
(Standard)


Eclipse

Pier Point

Pelican

**Wall Fabric**

The booth floor is carpeted with commercial grade, broadloom carpet. Standard carpet color is Mystique; Cobble Grey, Blue Haze and Adrift are available, refer to "Build-Your-Own Phone Booth" section on pages 8-9.



Mystique  
(Standard)


Cobble Grey

Blue Haze

Adrift

**Power/USB Grommet**

A 3" dia., flush-to-surface, White finish power/USB module is included as standard; Black or Grey finish are available, refer to "Build-Your-Own Phone Booth" section on pages 8-9.



White  
(Standard)

Black

Grey

**Stool**

A free-standing adjustable height stool with black PU leather seat and chrome column is supplied as standard. For no additional charge, a white PU leather seat and/or floor mounted stool may be specified.



Black

White

## Standard Phone Booth



Model	Finish/Color Codes						Stool Style	Stool Seat Color	List \$ (per each)
	Glass Tint	Exterior Finish	Shelf Finish	Carpet Color	Wall Fabric Color	Power/USB Finish			

STANDARD PHONE BOOTH W/CLEAR GLASS									
NB1LS	CGL	E1	S1	C1	F1	P1	Specify Stool Style Code	Specify Stool Seat Color Code	16400
	CGL None	E1 White	S1 White	C1 Mystique	F1 Flint	P1 White	FS (Free Standing) FM (Floor Mounted)	B (Black) W (White)	

STANDARD PHONE BOOTH W/PERMANENT GLASS TINT									
NB1LS	PT2	E1	S1	C1	F1	P1	Specify Stool Style Code	Specify Stool Seat Color Code	17350
	PT2 Permanent Tint	E1 White	S1 White	C1 Mystique	F1 Flint	P1 White	FS (Free Standing) FM (Floor Mounted)	B (Black) W (White)	

STANDARD PHONE BOOTH W/SWITCH ACTIVATED GLASS TINT									
NB1LS	PT1	E1	S1	C1	F1	P1	Specify Stool Style Code	Specify Stool Seat Color Code	24860
	PT1 Switch Activated Tint	E1 White	S1 White	C1 Mystique	F1 Flint	P1 White	FS (Free Standing) FM (Floor Mounted)	B (Black) W (White)	

Example Model Number

NB1LS	CGL	E1	S1	C1	F1	P1	FS	B
<i>NB1S Nevins Phone Booth</i>	<i>CGL Clear Glass (no tint)</i>	<i>E1 Exterior Finish White</i>	<i>S1 Shelf Laminate White</i>	<i>C1 Carpet Color Mystique</i>	<i>F1 Wall Fabric Color Flint</i>	<i>P1 Power/USB Module Finish White</i>	<i>FS Stool Type Free Standing</i>	<i>B Stool Seat Color Black</i>

Complete Model Number Example NB1LSE1S1C1F1P1FSB



### Build-Your-Own Phone Booth

PHONE BOOTH



Model	Finish/Color Codes						Stool Style	Stool Seat Color	List \$ (per each)
	Glass Tint	Exterior Finish	Shelf Finish	Carpet Color	Wall Fabric Color	Power/USB Finish			

#### BUILD-YOUR-OWN PHONE BOOTH W/CLEAR GLASS

NB1LC	CGL	E1	S1	C1	F1	P1	Specify Stool Style Code	Specify Stool Seat Color Code	17300
	CGL None	E1 White E2 Blue E3 Black E4 Red E5 Green E6 Yellow	S1 White S2 Blue S3 Black S4 Red S5 Green S6 Yellow	C1 Mystique C2 Cobble Grey C3 Blue Haze C4 Adrift	F1 Flint F2 Eclipse F3 Pier Point F4 Pelican	P1 White P2 Black P3 Grey	FS (Free Standing) FM (Floor Mounted)	B (Black) W (White)	

#### BUILD-YOUR-OWN PHONE BOOTH W/PERMANENT GLASS TINT

NB1LC	PT2	E1	S1	C1	F1	P1	Specify Stool Style Code	Specify Stool Seat Color Code	18250
	PT2 Permanent Tint	E1 White E2 Blue E3 Black E4 Red E5 Green E6 Yellow	S1 White S2 Blue S3 Black S4 Red S5 Green S6 Yellow	C1 Mystique C2 Cobble Grey C3 Blue Haze C4 Adrift	F1 Flint F2 Eclipse F3 Pier Point F4 Pelican	P1 White P2 Black P3 Grey	FS (Free Standing) FM (Floor Mounted)	B (Black) W (White)	

#### BUILD-YOUR-OWN PHONE BOOTH W/SWITCH ACTIVATED GLASS TINT

NB1LC	PT1	E1	S1	C1	F1	P1	Specify Stool Style Code	Specify Stool Seat Color Code	25760
	PT1 Switch Activated Tint	E1 White E2 Blue E3 Black E4 Red E5 Green E6 Yellow	S1 White S2 Blue S3 Black S4 Red S5 Green S6 Yellow	C1 Mystique C2 Cobble Grey C3 Blue Haze C4 Adrift	F1 Flint F2 Eclipse F3 Pier Point F4 Pelican	P1 White P2 Black P3 Grey	FS (Free Standing) FM (Floor Mounted)	B (Black) W (White)	

Example Model Number

NB1LC	CGL	E1	S1	C1	F1	P1	FS	B
NB1LC Nevins Phone Booth	CGL Clear Glass (no tint)	Exterior Finish E1 White	Shelf Laminate S1 White	Carpet Color C1 Mystique	Wall Fabric Color F1 Flint	Power/USB Module Finish P1 White	Stool Type FS Free Standing	Stool Seat Color B Black

Complete Model Number Example NB1LCCGLE4S1C2F2P1FSB

Date	Page(s)	Modification	Description
03.25.19	Pg.5	Images Updated	Phone Booth images and phone booth spec image updated for Materials & Finishes section.
03.25.19	Pg. 5	Specs Updated	Shelf dimensions were updated.
03.25.19	Pg. 6	Image Updated	Phone Booth image updated for Features section.
03.25.19	Pg. 7	Images Updated	Phone Booth exterior, shelf, power and stool images updated for Finishes section.
03.25.19	Pg. 7	Finishes Updated	Natural Finish changed to Light Grey Finish. Gloss Laminate changed to Laminate.
03.25.19	Pg. 8	Image Updated	Phone Booth image updated for Pricing section.
03.25.19	Pg. 9	Images Updated	Phone Booth images updated for Pricing section.

Date	Page(s)	Modification	Description

PHONE BOOTH



P.O. Box 108  
Cat Spring, Texas  
78933, USA

P: 800.231.2744  
E: quotes@nevins.co  
F: 713.230.2150  
www.nevins.co

